



06/22/00

Please type a plus sign (+) inside this box ☒Approved for use through 09/30/00 OMB 0651-0032  
Patent and Trademark Office U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY  
PATENT APPLICATION  
TRANSMITTAL

Attorney Docket No. ASI0004-US

Total Pages:

First Named Inventor or Application Identifier  
Norman D. Geddes, et al.

Express Mail Label No.:

## APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO: Assistant Commissioner for Patents  
Box Patent Application  
Washington, D.C. 20231

1. ☒ Fee Transmittal Form  
(Submit an original, and a duplicate for fee processing)
2. ☒ Specification Total Pages   
(preferred arrangement as set forth below)
- Descriptive title of the Invention
  - Cross References to Related Applications
  - Statement Regarding Fed sponsored R & D
  - Reference to Microfiche Appendix
  - Background of the Invention
  - Brief Summary of the Invention
  - Brief Description of the Drawings (if filed)
  - Detailed Description
  - Claim(s)
  - Abstract of the Disclosure
3. ☒ Drawing(s) (35 usc 113) [Total Sheets]
4. ☒ Oath or Declaration [Total Pages]
- a. ☐ Newly executed (original or copy)
  - b. ☐ Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional with box 17 completed) [Note Box 5 below]
  - i. ☐ DELETION OF INVENTOR(S)  
Signed statement attached deleting inventor(s) named in the prior application. See 37 CFR 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation By Reference (usable if Box 4b is checked)  
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.

6. ☐ Microfiche Computer Program (Appendix)
7. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
- a. ☐ Computer Readable Copy
  - b. ☐ Paper Copy (identical to computer copy)
  - c. ☐ Statement verifying identity of above copies

## ACCOMPANYING APPLICATION PARTS

8. ☐ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(b) Statement ☐ Power of Attorney (when there is an assignee)
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement (IDS)/PTO-1449 ☐ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503)
14. ☒ Small Entity Statement ☐ Statement filed in prior application, Status till proper and desired
15. ☐ Certified Copy of Priority Document(s) (If foreign priority is claimed)
16. ☐ Other: \_\_\_\_\_

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: \_\_\_\_\_/\_\_\_\_\_

## 18. CORRESPONDENCE ADDRESS

☐ Customer Number or Bar Code Label or ☐ Correspondence address below

Name	George T. Marcou				
	KILPATRICK STOCKTON LLP				
Address	700 13th Street, N.W.				
	Suite 800				
City	Washington	State	DC	Zip Code	20005
Country	U.S.A.	Telephone	202.508.5800	Fax	202.508.5858
Name (Print/Type)	George T. Marcou			Reg. No.	33,014
Signature				Date	6/24/00

Burden Hour Statement This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO Assistant Commissioner for Patents, Box Patent Application, Washington, D.C. 20231

METHOD AND SYSTEM FOR DYNAMIC BUSINESS PROCESS  
MANAGEMENT USING A PARTIAL ORDER PLANNER

COPYRIGHT NOTICE

5           A portion of the disclosure of this patent document contains material that is  
subject to copyright protection. The copyright owner has no objection to the facsimile  
reproduction by anyone of the patent disclosure, as it appears in the Patent and  
Trademark Office patent files or records, but otherwise reserves all copyright rights  
whatsoever.

10

FIELD OF THE INVENTION

          The present invention relates to the field of business process management, and  
more particularly to an extended enterprise operations system using a least  
commitment planner to more effectively handle ever changing real-world business  
15       situations by providing a dynamic business process management system.

BACKGROUND INFORMATION

          Enterprise resource planning (ERP) systems are often touted as attempts to  
provide a single solution for integrating business processes across an organization, or  
20       even across an entire supply chain, tying inventory control systems, manufacturing  
resource planning, sales and order management, marketing, purchasing, warehouse  
management, financial and managerial account, and human resource management so  
that all business processes are at the fingertips of corporate executives. In effect, ERP

is an attempt to reduce all aspects of a business to a model that can then be tested, simulated, modified, refined, and examined so that a corporate manager can increase the efficiency of the entire business.

The use of ERP systems has increased business efficiency, especially for large, complex manufacturing operations. By providing the ability to simulate various scenarios, ERP systems assist managers to more effectively handle business process problems such as shortages, labor problems, quality control problems, etc. In short, by reducing business processes to a model of resources and constraints, ERP systems provide a tool for viewing the current state of an operation and a test bed for considering modifications to business processes.

Conventional ERP systems operate by treating business process modeling and simulation as a scheduling problem. A business is modeled as a set of processes, a collection of resources and a set of constraints whereby a company must determine how best to use its limited resources to achieve the largest benefit attainable. By solving the scheduling problem, conventional ERP systems attempt to provide a fully-ordered plan that optimally solves the problem presented to it.

Scheduling is a subproblem of the more general problem of planning. To characterize this, the following definitions are broadly accepted:

Scheduling subproblem: given a set of activities  $a_1 \dots a_n$ , with precedent relationships  $a_j > a_k$ , and a set of resources  $r_1 \dots r_m$  needed to perform the activities, what is the best allocation and ordering of the activities and resources. Best is

normally expressed as the optimal value of some expression  $J(r_i)$  that is related to the cost of the resources used and the benefits obtained.

Planning subproblem: given one or more objectives, what is the best set of activities  $a_1 \dots a_n$  and what are the precedence relationships  $a_j > a_k$  that exist between  
5 them to accomplish the desired objectives.

Clearly, these definitions imply that the scheduling subproblem cannot be approached until after the planning subproblem has been solved. In addition, each of these subproblems, when formulated for real-world cases other than relatively trivial textbook examples, are easily within the class of problems known in computing  
10 theory as NP-Complete.

Current approaches to ERP and SCM typically assume a static set of activities as the business model. In pursuing a resource allocation, these ERP and SCM optimization processes can change attributes of activities, such as start and end times and allocation of resources to activities, but conventional ERP and SCM systems do  
15 not seek to change the set of activities themselves. This static set of activities defines a static business model.

Unfortunately, a static ERP business model cannot be completely accurate and cannot account for all contingencies. In actuality, there are many potential variations in the business models of companies. As goals change, the business processes  
20 themselves may need to be fundamentally changed. Often, the optimal schedule is not the best plan to handle the uncertainties of the real world because it is not the most

robust. In the real world, requirements and resources are not static. The operation of a business is a dynamic process and it is desirable to provide a system for dynamic business process management that can better handle the inevitable changes that confront a corporate manager every day. It is desirable to provide a system for dynamic modification of business process models that permits dynamic changes in the planned set of activities as well as the schedule and resource allocations.

The value of planning is solely in its ability to improve the execution of a complex undertaking. The improvements may take the form of more effective resource allocation or more effective coordination between parties or more certain outcomes. The creation of plans that do not improve execution is itself a poor use of resources.

Determining an optimal plan in the face of uncertainty is often a waste of resources because the available resources and constraints in real-world problems change over time, sometimes faster than a new optimal plan can be recalculated. Before an optimal plan is completely carried out, a change will often force reconsideration and recalculation. Because solving the optimal scheduling subproblem is typically very computationally expensive, changes may occur in the pre-conditions before the result can even be calculated. Optimal schedulers do not have a mechanism for graded levels of commitment to activities and their parameters. When a change occurs, the entire schedule must be re-computed. As a result, a small change in input values to the optimal scheduler can produce a large change in the

resulting schedule. Activities that were once possible to schedule may now become unscheduled. Conventional ERP systems attempt to create so-called “optimal” or fully ordered plans often requiring repeated reconsideration and recalculation.

An alternative view to optimal planning emphasizes adaptation. Modern control theory is based on adaptation. For example, the driver of a car does not plan about steering the car to stay on the roadway. Instead, steering behavior is continuously adapted to meet the needs of the situation. However, pure adaptation is not fully effective either--unless the driver has a plan in the form of an intended route to his destination, he may well become lost.

Partial order, least commitment planning is a method that blends planning and adaptation to produce robust behaviors. Activities are only partially planned, leaving many details to be determined by adaptation during the actual execution. However, the extent of planning is sufficient to ensure that the resulting behavior is feasible and can nominally be performed. Partial-order, least commitment planning allows an extended business enterprise to adapt flexibly to the changes in day to day operations while still achieving coordination and feasibility. It is desirable to provide a dynamic business process management system that calculates partial-order, least commitment plans for operating a business enterprise.

Partial order, least commitment planners also provide for graded levels of commitment to a set of activities. This allows the planner to maintain multiple alternative means to achieve multiple simultaneous goals, and increase or decrease its

level of commitment to each of the alternatives as the situation unfolds. In this way, the choice of alternative to execute can be deferred until it is clear which alternative is superior. A partial order least commitment planner is also able to select multiple alternatives for execution as a means for hedging against uncertainty in outcomes.

Additionally, as business processes become more complex and as models become more detailed, the optimal planning mechanisms of conventional ERP systems takes longer and longer to complete. Many algorithms for schedule optimization have execution times of Order (n-cubed) or greater. Some optimal  
5 scheduling problems are known to be members of the very difficult and expensive class of problems known as NP-complete. It is therefore desirable to provide a planning mechanism that is faster than conventional optimal, fully-ordered planners. Corporate managers desire fast, perhaps even real-time feedback and adaptation to cope with dynamic business situations.

10 Several related patents have been issued by the United States Patent and Trademark Office. For example, U.S. Patent Number 5,299,287 issued to Tsuruta et al. (the '287 patent) discloses a method of knowledge management for dividing a goal into lower level subgoals. Additionally, the '287 patent discloses a system for cooperative goal and plan sharing between actors in the system. There is a need for a  
15 system that incorporates goal decomposition and cooperative planning in a business process management system. There is also a need for a system that performs partial order planning to better handle real-time, dynamic business process systems.

### SUMMARY OF THE INVENTION

20 In accordance with the present invention, a system for conducting dynamic business process management for extended enterprise operations using partial order,



least commitment planning is provided. The system includes a knowledge base for storing expert knowledge about one or more business process domains, an inference engine coupled to the knowledge base that includes a least commitment planner, a management system that collects data regarding one or more business processes and  
5 determines one or more goals, and a graphical user interface system that displays information regarding business processes. The inference engine uses the partial order, least commitment planner to determine one or more plans for achieving one or more determined goals.

#### 10 BRIEF DESCRIPTION OF THE DRAWINGS

The present invention is further described in the detailed description which follows, by reference to a plurality of drawings by way of non-limiting examples of illustrated embodiments of the present invention, in which like reference numerals represent similar parts throughout the several drawings, and wherein:

15 FIG. 1 is a block diagram illustrating a typical business process management system according to an embodiment of the present invention;

FIG. 2 is a block diagram describing a software implementation of an business process management system according to an embodiment of the present invention;

FIG. 3 illustrates an inference engine for performing least commitment  
20 planning according to one embodiment of the present invention;

FIG. 4 is a block diagramming describing the life cycle of a plan maintained by a planner according to one embodiment of the present invention;

FIG. 5 illustrates a portion of a concept graph according to one embodiment of the present invention;

5        FIG. 6 illustrates a portion of a plan-goal graph (PGG) according to one embodiment of the present invention;

FIG. 7 describes a goal instance created by an intent interpreter according to one embodiment of the present invention; and

10       FIG. 8 depicts a portion of a plan-goal graph (PGG) illustrating the operation of a planner according to one embodiment of the present invention.

## GLOSSARY

15       *Concept Graph:* a knowledge representation of the dependencies between observable data values and higher-level computations and assertions made about the data. A concept graph can be implemented as a directed acyclic graph of concept nodes that is a particular type of augmented transition network (ATN).

*Expert System:* a computer program that uses a knowledge base to assist in solving problems. Most expert systems use an inference engine to derive new facts and beliefs using a knowledge base.

*Full-Order Planner:* (also called a total-order planner) a process that computes a fully-ordered list of primitive steps or actions to reach a goal, in which each step or action is fully definitized at the completion of the planning process.

*Inference Engine:* a computer program that infers new facts or beliefs from  
5 known facts or beliefs using a knowledge base and a set of logical operations.

*Intent Interpreter:* an expert system that uses a knowledge base to determine the present intention of a user or a system.

*Knowledge Base:* a collection of knowledge (e.g., objects, concepts, relationships, facts, rules, etc.) expressed in a manner such that it can be used by an  
10 inference engine. For example, a knowledge base may include rules and facts or assertions as in traditional expert systems. .

*Least Commitment Planner:* a process that generates a plan that avoids making a choice between two or more alternative courses of action unless it is necessary to do so. A least commitment planner avoids definitizing any particular  
15 sub-element of a plan beyond the minimum necessary to determine likely success. Final definitization of the primitive steps is deferred until just prior to the execution of each plan sub-element by a plan execution agent.

*Primitive step.* a representation of an activity that is not further decomposed by a planner. Also called a primitive action.

*Partial-Order Planner:* a process that generates a partially ordered set of  
20 activities at the completion of the planning process.

*Plan.* a abstract representation of a set of activities to be performed from the present into the future. A plan may be decomposable into plan sub-elements that define more detailed activities. The lowest level of decomposition of a plan is a primitive step or action.

5        *Plan Execution Agent.* a process that directly operates on the environment by performing activities represented by a plan.

10        *Plan-Goal Graph (PGG):* a knowledge representation for expressing causal relationships in an operational domain as well as the intentions of a user. A PGG can be expressed as an acyclic, directed graph where plans are decomposed into subgoals or primitive actions.

15        *Planner:* a computer program that determines a sequence of operations or actions to be taken to reach one or more goals.

20        *Non-Monotonic Truth Maintenance :* a system for maintaining the consistency of beliefs, assumptions, justifications and/or assertions in a knowledge base wherein knowledge can be retracted when an inconsistency is detected.

#### DETAILED DESCRIPTION OF THE ILLUSTRATED EMBODIMENTS

25        The present invention includes methods and systems for providing dynamic business process management services with partial order, least commitment planning. Conventional enterprise resource planning (ERP) systems are known in the art such as those marketed by SAP™, JD Edwards™, Oracle™, and Peoplesoft™. The

embodiment described below is a software implementation of the present invention that improves upon conventional ERP systems. Using the following description, one of ordinary skill in the art will be able to practice the present invention using conventional software development tools and techniques. The preferred embodiment  
5 of the present invention is developed in C++ on a Sun Microsystems™ server running the Solaris™ operating system.

The various embodiments of the present invention improve on traditional artificial techniques. One of ordinary skill in the art may find the following references helpful in providing appropriate background understanding in the design  
10 and construction of inference engines, knowledge bases, and various knowledge representations used by the present invention: (1) Schank, R. C. and Abelson, R., Scripts, Plans Goals and Understanding, Hillsdale, NJ: Lawrence Erlbaum Associates (1977); (2) Schank, R. C. and Riesbeck, C. K., Inside Computer Understanding. Hillsdale, NJ: Lawrence Erlbaum Associates (1981); (3) Sacerdoti, E. D., A Structure  
15 for Plans and Behaviors, New York: Elsevier (1978); (4) Rinnooy Kan, A.H.G., Machine Scheduling Problems. The Hague: Martinus Nijhoff (1976); and (5) Charniak, E, Riesbeck, C.K. and McDermott, D., Artificial Intelligence Programming. Hillsdale, NJ: Lawrence Erlbaum Associates (1980).

FIG. 1 is a block diagram illustrating a dynamic business process management  
20 system. In this implementation, there are three basic groups of functionality implemented as an integrated toolset for business information management. The

functional groups include the following: (1) Finance 101; (2) Human Resources 102; and (3) Manufacturing/Logistics 103.

Finance 101 provides various components to assist corporate managers in bookkeeping. For example, the dynamic business process management system includes a general ledger 113 for maintaining a list of all accounts, both internal and external to the corporation. The general ledger 113 provides an information store that includes all accounting details of the corporation as well as analysis tools.

In addition to the general ledger 113, the Finance 101 component of the dynamic business process management system includes both an accounts receivable 110 component and an accounts payable 112 component. Accounts payable 112 tracks all bills that must be paid by the company and provides tools for scheduling payments and analyzing the outflow of corporate resources. On the other hand, accounts receivable 110 maintains customer accounts and other moneys owed to the corporation. Together, accounts receivable 110 and accounts payable 112 provide accounting tools that assist corporate managers analyze and track the flow of cash through the corporation.

Next, the fixed assets 111 component of the Finance 101 resources is information store and toolset for managing and tracking tangible, depreciable assets such as buildings, equipment, and property. This component allows a corporation to track depreciation and expenses associated with these assets.

Human Resources 102 provides various components to administer and maintain human resource information and processes. For example, a corporation must maintain information regarding their employees such as home addresses, Social Security Numbers, dates of employment, salary information, etc. The present  
5 implementation of a dynamic business process management system includes a personnel management 120 component that maintains all necessary information about each employee including the employee's name, home address, supervisor, Social Security Number, tax withholding information, date of employment, etc. Closely tied to the personnel management 120 system is a payroll 121 system. Payroll 121  
10 provides an information management solution that assists the corporation in paying its employees.

Finally, Manufacturing/Logistics 103 provides components for managing business processes associated with the actual manufacturing operations of a company. including: (1) capacity planning 130; (2) order entry processing 131; (3)  
15 transportation management 132; (4) project management 133; and (5) customer service 134.

The capacity planning 130 module of the present dynamic business process management system implementation assists companies in planning the daily production schedule for a corporation's manufacturing facilities. For example,  
20 capacity planning 130 may help an automobile manufacturer determine the efficient

use of an assembly line. If there is a predicted surplus of parts, capacity planning 130 may help adjust production to meet the demands of the market.

The order entry processing 131 system helps a corporation monitor and process orders placed by customers. When an order for a customer is received, it is  
5 entered into the order entry processing 131 system. By having this data integrated with manufacturing data, corporations are better able to adjust production to meet the demands of customers. Closely tied to order entry processing 131 is transportation management 132. Once a customer's order is ready to be delivered, transportation management helps plan, schedule, and track the delivery.

10 In any corporation, there are numerous projects that are ongoing at any point in time. The Project management 133 system helps corporate managers track the progress of each project, quickly detecting slippages and analyzing how a slippage will affect other projects and other operations of the organization.

Finally, the customer service 134 component assists the corporation in tracking  
15 and responding to customer inquiries and suggestions. For example, customer service 134 may assist a company in managing a help desk where customers can call in to ask questions, report problems, and obtain additional information about the corporation and its various products and services.

Each of the components of a dynamic business process management system  
20 described above including Finance 101, Human Resources 102, and Manufacturing/Logistics 103 information systems are integrated to provide a platform



for corporate managers to plan, simulate, test, and observe the day-to-day operations of a company.

FIG. 2 shows a schematic diagram describing an implementation of a dynamic business process management system. Each software component depends on operating system 201. In the preferred embodiment of the present invention, operating system 201 is the Solaris™ operating system that runs on Sun Microsystems™ and Intel™-based computers.

The operating system 201 provides a platform for executing software applications and provides a standardized interface that abstracts from the details of the underlying computer's hardware. A database 202 is run on top of operating system 201 providing a mechanism for storing, search, and retrieving large amounts of data. In the preferred embodiment of the present invention, database 202 is an Oracle™ database.

Using database 202 and operating system 201, inference engine 203 provides the tools and framework for performing least commitment planning. In conventional ERP systems, inference engine 203 is an optimal scheduler. The present invention improves on the prior art by providing a partial-order, least commitment planner to increase the performance and to better handle the uncertainties and challenges encountered in the real-world.

Finally, the graphical user interface 205 provides a mechanism for interacting with users by displaying data on a computer screen and by receiving user input from a device such as a mouse, keyboard, or touch screen.

FIG. 3 is a schematic diagram illustrating inference engine 203 according to

5 one embodiment of the present invention. Inference engine 203 includes one or more planners 302, an intent interpreter 303, an information manager 304, a script performer 305, a knowledge base 306, and a situation assessor 307. Each of these components is described in more detail below. In addition, the following publications describing various exemplary implementations of the constituent components of an  
10 inference engine are hereby incorporated by reference: (1) Hoshstrasser, Belinda Hardman and Norman D. Geddes. Proceedings of the International Joint Conferences on Artificial Intelligence 1989 Workshop on Integrated Human-Machine Intelligence in Aerospace Systems. *OPAL: Operator Intent Inferencing for Intelligent Operator Support Systems*. (August 21, 1989); (2) Geddes, Norman D., et al. *Fostering Collaboration in System of Systems*; (3) Rouse, William B., et al. An Architecture for Intelligent Interfaces: Outline of an Approach to Supporting Operators of Complex Systems. *Human-Computer Interaction*, vol. 3, pp. 87-122 (1987); (4) Geddes, Norman D. and Mark A. Hoffman. *Supervising Unmanned Roving Vehicles Through an Intelligent Interface*; (5) Geddes, Norman D., et al. *Automated Acquisition of*  
15 *Information Requirements for an Intelligent Display*; (6) Miller, Christopher A., et al. Plan-Based Information Requirements: Automated Knowledge Acquisition to Support  
20

Information Management in an Intelligent Pilot-Vehicle Interface. Digital Avionics Systems Conference (Seattle, Washington, October 5-9, 1992); (7) Geddes, Norman D., Large Scale Models of Cooperative and Hostile Intentions. *IEEE Computer Society, International Conference and Workshop on Engineering of Computer Based Systems (ECBS'97)* (Monterey, California, March 27-28, 1997); (8) Webb, Barry W., Norman D. Geddes, and Leslie O. Neste. *Information Management with a Hierarchical Display Generator*; (9) Rouse, W.B., N.D. Geddes, and J.M. Hammer. Computer-aided fighter pilots. *IEEE Spectrum*. pp.38-41 (March 1990); (10) Geddes, N.D. and R.J. Lee. Intelligent Control for Automated Vehicles: A Decision Aiding Method for Coordination of Multiple Uninhabited Tactical Aircraft. *Association for Unmanned Vehicle Systems International AUVSI'98 25th Annual Symposium and Exhibition*. (Huntsville, Alabama, June 8-12, 1998); (11) Geddes, N.D., R.J. Lee, and J.L. Brown. A Portable Lightweight Associate for Urban Helicopter Pilotage. *Submitted to IEEE* (September 25, 1997); and (13) Geddes, N.D. "Associate Systems: A framework for human-computer cooperation." *7th International Conference of Human-Computer Interaction*. (San Francisco, California, August 24-29, 1997).

First, we discuss the one or more planners 302. Any conventional planner can be used with the present invention; however, the preferred embodiment uses a real-time, partial-order, least-commitment planner. Such a planner is able to effectively manage real-time operation in a changing world. In a business system, the current state of the system is constantly changing. For example, new orders are being placed,

002290"05486660

efficiencies change, consumer supply fluctuates, and the availability of labor and parts changes. A dynamic business process management system that only plans to the level of detail necessary to ensure feasibility for given constraints conserves resources by preventing excessive planning in a dynamic environment where preferences, goals, and intentions are always changing. Additionally, by only planning as far in advance as is necessary, a system can preserve options so assets are not committed until they are needed. In one embodiment of the present invention, the partial order, least commitment planner uses an abstract decomposition of the business objectives. This decomposition is represented as a plan and goal graph (PGG), an acyclic, directed graph that represents the hierarchy of possible goals that may be pursued to achieve an intention and the methods (or plans) that can be used to satisfy each goal. Broad, general plans are represented by plan nodes of the PGG that are higher in the directed acyclic graph structure, while lower-level plan sub-elements provide increasing levels of detail in the lower levels of the PGG. A partial order planning system using a plan and goal graph (PGG) is described by N.D. Geddes and R.J. Lee in a paper entitled "Intelligent Control for Automated Vehicles: A Decision Aiding Method for Coordination of Multiple Uninhabited Tactical Aircraft" published June 1998.

Traditional ERP systems use a full-order planner. A planner determines a sequence of activities that can be taken to achieve as many desired states or goals as possible given available resources and domain constraints. A full order planner determines the "optimal" sequence of activities to be taken. Because this process

requires searching all combinations of activities to determine the best combination, it is order  $n$ -cubed or worse in the number of activities. Partial order planners compute less than the "optimal" sequence of activities to be taken. For example, one type of partial order planner is a least commitment planner that operates by committing to as little as possible, thus reducing exponential growth of the search space resulting in increased planning speed. Since all plans are not necessarily considered, a partial order planner may not find the optimal sequence of activities for reaching one or more goals; however, a plan that satisfies domain and resource constraints will be quickly provided and the resulting plan can be recalculated as changes occur.

In one embodiment of the present invention, the planner 302 is a partial order planner and manages its level of commitment to the activities in the plan by using a state transition method to set the life cycle states of plan sub-elements. One embodiment of the plan life cycle state transitions is shown in FIG 6. As a plan sub-element moves through its life cycle states from candidate towards the active state, the partial order planner is increasing its commitment to that plan sub-element. The partial order planner may also reduce its commitment by changing the plan sub-element state to rejected state or revoked state and ultimately to a terminated state. This mechanism provides a non-monotonic, graded level of commitment for each plan sub-element.

In one embodiment of the present invention, state transitions of the plan sub-elements are performed by the planner 302 in response to event signals received from

the situation assessor 307. When the planner 302 moves a plan sub-element to a new life cycle state, the planner 302 requests the activation of specific monitors within situation assessor 307. In one embodiment of the present invention, the monitors represent the conditions under which a plan sub-element should be transitioned to a different one of its plurality of life cycle states. The situation assessor 307 periodically evaluates the specific monitors that have been activated, and provides an event signal to the planner 302 for each specific monitor whose conditions are satisfied.

In another embodiment of the present invention, a plurality of dynamic business process management systems after the present invention, and each containing an inference engine with a planner 302, can send and receive plan instances and life cycle changes for plan instances to each other. In this manner, sharing of planning and graded commitment between the separate dynamic business process management systems is performed, allowing all participating systems to take advantage of information about the plans made by another such system. The communications may take place over a plurality of communications means, including direct connection, telephony, wireless medium, or network, such as Internet or local area networks.

One embodiment of the present invention includes intent interpreter 303. In this embodiment, the dynamic business process management system monitors a user's actions to determine what the user is trying to accomplish. The intent interpreter does

002290\*0528660  
this using a task-analytic decomposition of the purposes of operators within the  
business process domain. In the preferred embodiment, this decomposition is  
represented as a plan and goal graph (PGG). Additionally, intent interpreter 303 uses  
knowledge represented as scripts. These scripts are sequences of partially specified  
5 primitive actions whose execution may be dependent on the state of the execution  
context. Other embodiments may use scripts that may include non-primitive actions  
(e.g., recursive script calls or additional script calls). Scripts represent standard  
procedures or business processes that are routinely used to perform specific business  
processes described by plan sub-elements. Such standard business procedures may  
10 include standard responses to both normal and abnormal events and operating  
conditions within an enterprise. The intent interpreter 303 uses reasoning on the PGG  
to represent problem solving behaviors that are necessary when existing business  
processes defined by scripts are not appropriate for the situation. Using assertions  
made by the other components of the system together with domain knowledge stored  
15 in knowledge base 306, the intent interpreter determines the most likely intent of a  
user. This determined intent is then used to update the information being displayed to  
the user and to generate one or more plans to satisfy the interpreted goals of the  
operator.

One embodiment of the present invention uses an intent interpreter similar to  
20 that described by B.H. Hoshstrasser and N.D. Geddes in a paper entitled "OPAL:  
Operator Intent Inferencing for Intelligent Operator Support Systems" published July

1989. The intent interpreter includes a model of user intent expressed as both scripts and plan-goal graphs. The system tries to understand operator actions in terms of its current model of user intent. An action is said to be "explained" if it is consistent with what was expected by the intent model.

5           The intent interpreter first tries to interpret the intent of a user action using script-based reasoning. This is equivalent to evaluating the user's behavior in the context of existing active standard business procedures of the organization. Each active script in the current intent model is examined to determine if the action is an expected step in the execution of the script. If the action matches an event in an open  
10 segment of a script, the event is marked as completed and the user action is explained. All active scripts are searched, even if a match is found early on, since a particular action may occur in more than one active script. When the script-based reasoner runs, it evaluates the termination conditions of each script to determine if any of the scripts should be removed from the current model of intent.

15           If the action is not predicted by the active scripts, then the system tries plan-based reasoning to explain the action in terms of a plan to satisfy one of the current goals of the user. In order to do this, the system uses a knowledge base that incorporates domain knowledge and knowledge of the possible plans and goals of the user. The knowledge base is a relationship-based representation of the plan and goal  
20 graph for the given domain. The PGG represents goal-driven problem solving behaviors of the user. The relationships also define how scripts and operator actions



are related to the low level plans. Constraints are placed on the relationships to provide a way to account for the context in which the action occurred.

To explain an user action through plan-based reasoning, the system backward chains through its knowledge base to determine if the action was predicted by any of the current plans and goals of the user and his organization. This may require inferring intermediate plans and goals in order to connect the action to a higher level plan or goal that is already active. These new plans and goals will be invoked and incorporated into the current model of the user's intent. The intent interpreter 303 uses non-monotonic reasoning to update the model of the user's current intentions. As mentioned earlier, a side effect of inferring a new plan or goal may require revoking other plans and goals that are found to be inconsistent with the newly added plans and goals. Scripts may be activated or revoked by the inferencing of new plans as well. If the system is unable to explain the user's action either by scripts or plans, it is potentially an operational error by the user.

Intent interpreter 303 is a valuable, but not an essential component of the present invention. However, the intent interpreter 303 provides a mechanism for building an intelligent decision support system to assist corporate managers in viewing, analyzing, modifying, simulating, and testing the business processes and the data stored in a business process management system.

Script performer 305 can be used to execute multiple parallel situated scripts that are stored in knowledge base 306. As discussed above, these scripts are

sequences of primitive actions whose execution is context sensitive. This component is a valuable tool in increasing the efficiency of the system to support real-time performance. The scripts can be thought of as a knowledge representation optimized for execution; just as executables can be viewed as optimized representations of

5 source code.

The information manager 304 component of this embodiment of the present invention provides automatic information management features for the user interface. The information manager 304 uses knowledge stored in knowledge base 306 including the present intent of a user as determined by intent interpreter 303 to decide

10 what information should be displayed to the user. Information needed by a user changes as the user's tasks and intentions change. This embodiment of the present invention uses a model to determine the information needed based on the current knowledge base.

One embodiment of the present invention uses an information manager 304

15 similar to that described in an article by B.W. Webb, N.D. Geddes, and L.O. Nester entitled "Information Management with a Hierarchical Display Generator." This article describes an implementation of a system that selects and tailors the format of displayed information to the tasks being performed by a user.

Finally, knowledge base 306 stores all knowledge used in the system to

20 conduct reasoning including plans, scripts, assertions, relationships, frames, etc. The knowledge base 306 includes knowledge patterns and knowledge instances. Situation

assessor 307 maintains the consistency of the knowledge instances in the knowledge base 306 by identifying and resolving any inconsistent or outdated beliefs. In one embodiment of the present invention, the situation assessor uses a concept graph to update values and beliefs. A concept graph is a knowledge representation of the dependencies between observable data values and higher-level computations and assertions made about the data.

In one embodiment of the present invention, the concept graph includes one or more means for calculating the degree of belief that the situation assessor 307 has in the values of each concept. One such means for calculating belief is Bayes Formula. When the situation assessor 307 receives new data, concepts that depend on that data are updated and their belief values are also updated. As a result of the updated belief values, the situation assessor 307 may reduce its belief in a concept, providing for non-monotonic truth maintenance for the situation assessor 307.

In another embodiment of the present invention, a plurality of dynamic business process management systems after the present invention, and each containing an inference engine with a situation assessor 307, can send and receive concept instances to each other. In this manner, sharing of situations between the separate dynamic business process management systems is performed, allowing all participating systems to take advantage of results and conclusions made by another such system. The communications may take place over a plurality of communications

means, including direct connection, telephony, wireless medium, or network, such as Internet or local area networks.

In one embodiment of the present invention, the plans and situations shared by a set of distributed dynamic business process management systems that contain inference engines after the present invention are used by the inference engines to detect conflicts in planning between the collaborating companies. When a new or updated plan is received from a collaborating party by a second collaborating party, the supply chain management inference engine of the second party evaluates the plan provided by the first party for conflicts with any existing plans of the second party.

The knowledge base 306 contains specific knowledge defining how plans and goals can be in conflict. In one embodiment, the plan and goal conflict detection uses the approach described in Geddes, N.D., A model for intent interpretation for multiple agents with conflicts (1994). When conflicts are detected with shared plans, the conflicting parties are both notified about the detailed nature of the conflict using the information manager 304.

The following is a simplified illustrative embodiment showing the interactions between the various components of the inference engine. Consider an intelligent decision support system to assist a team of humans in dynamic business process management across several operating departments in a company.

The starting point for the planning cycle is the posting of a high-level goal instance from a plan-goal graph (PGG). The posting of a goal triggers a planning

cycle that involves decomposing and specializing high-level goals into low-level actions that can be executed to achieve that goal. Each goal in the PGG has one or more child plans, some of which can be executed directly and some that must be recursively decomposed into sub-goals and sub-plans and specialized until the primitive steps are reached. Because the planner is a least commitment planner, commitment to a specialization created during decomposition is limited to only those aspects of the plan for which commitment cannot be deferred. If the system has been configured to interact closely with a human, candidate plans that are successfully decomposed and specialized may be proposed to the operator.

In addition to creating the decomposition of a plan into its sub-elements, the planner manages the specific life cycle states of each sub-element of a plan. The life cycle states, depicted in FIG. 4, provide the mechanism for managing the commitment of the system to the each of the plan sub-elements. Each of the life cycle states of a plan sub-element has specific monitoring knowledge associated with it, serving to focus the processing of the situation assessor and providing for an event-based control of the planner.

Throughout the life cycle of a PGG plan or goal, the partial order planner maintains the parameters of the plan or goal and monitors for its success or failure. As a result, the planner can dynamically adjust plan parameters that mediate its execution and dynamically reselect and specialize children of a node as required.

The operation of the system begins in the situation assessor 307. In the simplest embodiments, this component monitors and reads inputs to the system. The situation assessor 307 uses the inputs it receives to add data to the knowledge base regarding the current state of the system. For example, in the present embodiment, the system monitors a user's key presses and mouse clicks to add facts or observations to the knowledge base 306. It may also collect data from remote data systems and financial systems to update the situation of importance to business management.

FIG. 5 shows a portion of a concept graph according to one embodiment of the present invention. The situation assessor 307 stores knowledge about the situations of possible interest in the knowledge base 306 in the form of a concept graph such as the one shown in FIG. 5. The concept graph specifies the relationships between lower level data and higher level concepts. The situation assessor 307 creates concept instances which represent specific data and conclusions that it determines based on its data inputs. The concepts may represent highly aggregated and abstract conclusions about the situation of the business. Each concept is capable of having monitors defined for it that can be activated by the planner 302 as the life cycle states of plans and goals change over time. For example, in FIG. 5, the concept graph shows the relationship between the concept of Profit Forecast and the concepts of Cost Forecast and Price Forecast.

A monitor is a data input that can be defined by the system. Instead of monitoring all possible inputs at one time, embodiments of the present invention provide a mechanism for identifying what data is actually needed. A monitor corresponding to the needed data is then activated so that the needed data can be  
5 collected and used in the decision support process.

In this embodiment, the situation assessor 307 can also send and receive copies of concept patterns and instances by communicating with other business management systems also containing a situation assessor 307 and a knowledge base 306. The communication may be achieved by a plurality of methods including local networks,  
10 direct connection and wide area networks such as the Internet.

Whenever a new fact is added to the knowledge base 306, the situation assessor 307 processes any monitors related to the new fact. If a monitor is found to be satisfied, an event is generated to the planner 302 that causes the planner to update its planning.

15 Whenever a new fact is added to the knowledge base 306 that represents the execution of a primitive action by the user, the intent interpreter 303 processes the new assertion to update a model of the current intent of the user. The intent interpreter uses a PGG model of user intentions such as the portion of the one shown in FIG. 6.

20 FIG. 6 shows a PGG model of user intentions. For example, the top-level plan is Company A Operations. This plan can be decomposed into three subgoals: (1)

Have Technology, (2) Have Facilities, and (3) Have Revenue. These goals can, in turn, be decomposed into further plans and so on. A plan may also have a script for completing a plan associated with it or a goal may be fully decomposed into one or more primitive actions.

5           The intent interpreter 303 searches through the system's PGG models of user intention to determine the possible and likely intentions of the current user. The intent interpreter 303 then instantiates one or more goals based on the current perceived intentions of the user.

10           In FIG. 7, a user at Company A performs a primitive step or action at the user interface by placing a order request (1) with a specific company to purchase a quantity of finished product. The intent interpreter 303 searches for an explanation of this action, and finds in the knowledge base that this action is consistent with buying a product from the supplier. The intent interpreter 303 tentatively hypothesizes that the user plans to buy the product as the plan (2) for satisfying the goal to have the product  
15           (3). The intent interpreter 303 then searches for a higher level plan within the knowledge base 306 that explains the goal, and finds that there is an active plan for selling the finished product (4) to create revenue for Company A. Hence, the intent interpreter 303 instantiates the plan (2) and the goal (3) within the knowledge base 306. The posting of the new goal (3) starts the planner 302 to consider if there are  
20           more effective alternative plans for the goal, such as making the product at Company A.



The intent interpreter 303 uses non-monotonic reasoning in its search through the PGG knowledge in the knowledge base 306. If it is unable to find a complete path in the PGG from a hypothesized node to one known to be active, it can back up, retract its earlier assumptions and explore other paths.

5 In this embodiment, the intent interpreter 303 also sends and receives copies of plan and goal patterns and instances by communicating with other business management systems that contain an intent interpreter 303 and a knowledge base 306. The communication may be achieved by a plurality of methods, including local network, direct connection, and wide area networking such as the Internet.

10 Whenever a goal changes, or whenever a monitor event is received from the situation assessor 307, the planner 302 determines if any further planning needs to take place. For example, if the intent interpreter 303 instantiates a new goal, then the planner 302 needs to create a plan for achieving that goal. In the preferred embodiment, the planner 302 is a least commitment planner that performs a search of  
15 the PGGs stored in knowledge base 306 to determine subgoals and actions that need to be taken.

When goal instances and plan instances change life cycle state, the planner 302 uses knowledge in the knowledge base 306 to determine if any of the newly changed or updated goal or plan instances are in conflict with any other goal or plan instances.

20 If a conflict is detected, the planner 302 sends a notification to the user interface.

In FIG. 8, a user at Company A enters data defining the plan to sell product A (1) as a revenue source for Company A. The planner 302 uses knowledge in the knowledge base 306 to determine that product A must be obtained, and considers the make product plan (2). This plan has two subgoals, the first of which is to have the parts available to make the product, and the second subgoal is to assemble the product. The planner 302 uses knowledge in the knowledge base 306 to determine that the product assembly should not be planned until after the parts vendors are selected, so reasoning about the assembly process is deferred until later. Once vendors are chosen, a monitor is satisfied and the planner 302 can resume the solution of the assembly goal. The planner 302 determines that making one of the parts (3) will be more effective than purchasing it and proposes this solution, leading to action (4).

One optimization that is made in the present embodiment is the use of script performer 305. In a particular domain, many plans are commonly encountered and constitute a body of accepted methods known to practitioners within the domain. These plans can be implemented as scripts that represent partially specified procedures that can be executed without the need for extensive planning. The script performer 305 is a component of the present embodiment that facilitates the execution of scripts. These scripts are represented in the system's PGGs that are a part of the knowledge base 306. The script performer 305 can perform many and possibly all of

the primitive actions that could be performed by a human user, but the script performer 305 is limited by a set of permissions provided by the human operator.

As an example, consider the goal of having a part, and its child plan of buying the part. Because the process of buying a part from a vendor is a well-defined and frequently recurring sequence of primitive actions, it can be represented as a script. The representation of the goal, its child plan, the script, and the relationship between the plan and the script are all a part of the knowledge base 306.

When a specific instance of the goal of having a part, such as a stamped metal bracket, is encountered, the planner 302 can create the instance of the plan buy the part from a supplier. If the script performer 305 has been given permission, it can execute the script and automatically send the order to the necessary involved parties, including the shipping agent.

The components described above provide a mechanism for assessing the current situation or state of system, planning one or more responses and executing the course of action. The information manager 304 is used to display information to a user or to update the user's display based on the current intentions or plans that have been identified by the planner 302 and the intent interpreter 303 using the knowledge base 306, the script performer 305, and the situation assessor 307.

For example, the knowledge base 306 contains a representation of the information that a human user would need to access if he was involved in a plan to buy a part. One type of information relevant to a plan of this kind might be the

commodity prices of the materials used in the part. When an instance of such a plan is created, such as buying an aluminum bracket from Company B, the information manager 304 uses the attributes of the plan and the knowledge base 306 to determine that the price of specific aluminum alloys is of interest to the human. The information  
5 manager 304 then commands the display presentations to show pricing data for the correct time period.

Illustrative embodiments of the present invention have now been described. It will be appreciated that these examples are merely illustrative of the present invention. Many variations and modifications will be apparent to those of ordinary  
10 skill in the art.

002290 05286560

CLAIMS

The invention claimed is:

1. A dynamic business process management system comprising:
- a knowledge base including expert knowledge about one or more business
- 5 process domains;
- an inference engine coupled to the knowledge base, the inference engine including a partial order planner;
- a management system that collects and distributes data regarding one or more business processes and determines one or more goals; and
- 10 a graphical user interface system that displays information regarding the one or more business processes;
- wherein the inference engine uses the partial order planner to determine a plan for achieving at least one of the one or more goals.
- 15 2. The system of claim 1, wherein the knowledge base includes one or more plan-goal graphs.
3. The system of claim 1, wherein the knowledge base includes one or more concept graphs.
- 20

4. The system of claim 3, wherein the inference engine creates one or more plan instances.

5. The system of claim 3, wherein at least one of the one or more concept  
5 graphs includes a non-monotonic model of economic benefit provided by the plan instances created by the inference engine.

6. The system of claim 4, wherein the inference engine manages life cycle  
states of the one or more plan instances according to a commitment level of the partial  
10 order planner.

7. The system of claim 6, wherein the inference engine manages monitoring  
of the situation using the one or more concept graphs according to the life cycle states  
of the one or more plan instances.

8. The system of claim 7, wherein the inference engine determines what  
further processing is needed by the partial order planner based on the monitoring of  
the situation.

9. The system of claim 1, wherein the knowledge base includes one or more scripts, each of the one or more scripts comprising a sequence of fully or partially-specified actions.

5           10. The system of claim 1, wherein the inference engine includes an intent interpreter.

11. The system of claim 1, wherein the inference engine includes a non-monotonic truth maintenance system.

10

12. The system of claim 1, wherein a plurality of distributed dynamic business process management systems, each containing an inference engine communicate data defining the situations and plans of each organization.

15

13. The system of claim 12, wherein the inference engine detects conflicts between the plans of the participating organizations and notifies the conflicting parties of the nature of the conflict.

14. The system of claim 1, further comprising a data security mechanism that  
20 protects data stored in the knowledge base.

15. The system of claim 14, wherein the data security mechanism maintains an access control list for one or more tables in the knowledge base.

16. The system of claim 15, wherein the data security mechanism maintains  
5 an access control list for one or more data records in the knowledge base.

17. The system of claim 1, wherein the partial order planner is a least commitment planner.

18. A method for conducting business process management, the method  
10 comprising:

determining a goal for a user of the business process management system; and  
using a knowledge base to create a plan for meeting the determined goal.

19. The method of claim 18, wherein the act of determining a goal and  
15 creating a plan for meeting the goal is performed using a partial order planner.

20. The method of claim 19, wherein the partial order planner is a least  
commitment planner.

20



21. The method of claim 18, wherein the act of determining a goal is performed using a non-monotonic truth maintenance system.

22. The method of claim 18, wherein the knowledge base includes one or  
5 more plan-goal graphs.

23. The method of claim 18, wherein the knowledge base includes one or more concept graphs.

10 24. A dynamic business process management system comprising:  
a plurality of intelligent agents, each of the plurality of intelligent agents including:

a knowledge base including expert knowledge about one or more business process domains;

15 an inference engine coupled to the knowledge base, the inference engine including a partial order planner;

a data management system that collects and distributes data regarding one or more business processes; and

a graphical user interface system that displays information regarding  
20 the one or more business processes.

25. The dynamic business process management system of claim 24, wherein the knowledge base includes one or more concept graphs.

26. The dynamic business process management system of claim 25, wherein  
5 each agent of the plurality of intelligent agents determines the intentions of one or more users and wherein the data management system of a first agent of the plurality of intelligent agents shares data with a second agent of the plurality of intelligent agents representing the determined intentions of the one or more users to facilitate collaboration.

10

27. The dynamic business process management system of claim 26, wherein the system uses the shared data to automatically detect conflicts between the one or more users.

15

A dynamic business process management system and method is disclosed for providing using a least commitment planner to better handle the changes and uncertainties that inevitably occur in the real-world. An embodiment of the invention provides a dynamic business process management system using partial-order planning. An additional embodiment of the present invention includes an intent interpreter module that supports the implementation of intelligent decision support functionality in a corporate information management interface.






FIG. 1





**FIG. 3**



**FIG. 4**




FIG. 5









FIG. 7



**FIG. 8**

## DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

### English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled METHOD AND SYSTEM FOR DYNAMIC BUSINESS PROCESS MANAGEMENT USING A PARTIAL ORDER PLANNER, the specification of which

☒ is attached hereto.

☐ was filed on \_\_\_\_\_ as

☐ Application Serial No. \_\_\_\_\_

☐ and was amended on \_\_\_\_\_ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent of inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)			Priority Claimed	
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	_____ Yes	_____ No
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	_____ Yes	_____ No

I hereby claim the benefit under Title 35, United States Code, §120 of any United States utility application(s) listed below and/or under Title 35, United States Code, §119 of any United States provisional application(s) listed below and insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States utility application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status) (patented, pending, abandoned)
_____ (Application Serial No.)	_____ (Filing Date)	_____ (Status) (patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

### English Language Declaration

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

George T. Marcou, Registration No. 33,014; Richard Peterson, Registration No. 35,320; Charles W. Calkins, Registration No. 31,814; John M. Harrington, Registration No. 25,592; A. Jose Cortina, Registration No. 29,733; Russell Todd Morgan, Registration No. 43,815; Charles T. Simmons, Registration No. 35,359; Stephen B. Parker, Registration No. 36,631; James J. Bindseil, Registration No. 42,326; Benjamin Driscoll, Registration No. 41,571; Yoncha L. Kundupoglu, Registration No. 41,130; R. Whitney Winston, Registration No. 44,432; John Ball, Registration No. 44,433; Dawn-Marie Bey, Registration No. 44,442; and Tiep Nguyen, Registration No. 44,465.

Send Correspondence to:

Direct telephone calls to:

George T. Marcou  
Kilpatrick Stockton LLP  
Suite 800  
700 - 13th Street, N.W.  
Washington, D.C. 20005

George T. Marcou  
(202) 508-5800

Full name of first inventor: Norman D. Geddes

First Inventor's Signature

Date

Residence Address: 5730 Devonshire Way  
Cumming, GA 30040

Citizenship: USA

Post Office Address: 5730 Devonshire Way, Cumming, GA 30040

Full name of second inventor: Douglas M. Hosmer

First Inventor's Signature

Date


Residence Address: 552 Basil Court  
Marietta, GA 30064

Citizenship: USA

Post Office Address: 552 Basil Court, Marietta, GA 30064

002290" 03/28/96

United States Patent & Trademark Office  
Office of Initial Patent Examination -- Scanning Division



Application deficiencies were found during scanning:

☐ Page(s) \_\_\_\_\_ of Small entity statement were not present  
for scanning. (Document title)

☐ Page(s) \_\_\_\_\_ of \_\_\_\_\_ were not present  
for scanning. (Document title)

☐ Scanned copy is best available.